

Taking the lead with facts and figures that pay off for municipalities, companies and the environment.

EEW Energy from Waste brief information.



Welcome to EEW Energy from Waste!


Energy is essential to everyday life. Since supplies of fossil fuels are limited, the use of energy from waste is becoming increasingly important. As Germany's leading company in the production of environmentally friendly energy from thermal waste recovery, it is our mission to take the lead: With ultra-modern energy from waste plants. With state-of-the-art technology that meets the latest environmental standards. With highly qualified, dedicated employees. With good and constructive relationships with citizens, municipalities and companies. And, of course, with environmentally friendly energy from waste.




1 tonne of waste = 600 KWh of power

Power from waste is an important resource. The calorific value of the material is comparable to that of brown coal making it virtually predestined for energy use.

The corporate structure of EEW Energy from Waste (simplified):





5,000,000


tonnes of energy recycling capacity



Approx.

4,450,000

megawatt hours of process steam and district heating generated in a resource-friendly manner






Around

2,200,000

megawatt hours of power produced in a climate-friendly manner

Reference:

power, district heating and steam volume produced by 17 EEW Energy from Waste plants in 2022





We tackle the future. And assume responsibility.

For around 30 years, the EEW Energy from Waste Group has been planning, building and operating thermal waste treatment plants that set standards across Europe. Our current network of 17 plants in Germany and neighbouring countries has a yearly energy recovery capacity of around 5.0 million tonnes of waste. We efficiently utilise the energy contained in the waste to generate process steam for industrial plants, district heating for residential areas and eco-friendly electricity. EEW's electricity output alone corresponds to the power required by around 700,000 households.*


By using state-of-the-art technologies, we ensure a high degree of efficiency, availability and environmental protection. In addition to the expertise that we have acquired over the years, our size is also an advantage for our customers. In EEW's plant network, we have created a unique logistical infrastructure which offers maximum flexibility in acceptance capacity and therefore guarantees reliable waste management in both the short and long term.

For us, taking the lead means being excellent today and even better tomorrow. We want to be measured by our performance, our low emissions and our success.

^{*} Assumed average annual household energy consumption: 3,190 kWh

EEW plants symbolise high efficiency and low emissions. In 17 plants in Germany and in neighbouring countries.

	Location	Commissioning	Lines	Capacity t/a
1	Andernach	2008	1	140,000
2	Delfzijl (Netherlands)	2010/2019	3	576,000
3	Eschbach (Breisgau)	2005	1	175,000
4	Göppingen	1975	1	168,000*
5	Großräschen	2008	1	292,500
6	Hannover	2005	2	280,000
7	Helmstedt	1998	3	525,000
8	Heringen	2009	2	345,000
9	Knapsack (Hürth)	2009	2	320,000
10	Leudelange (Luxembourg)	2010	1	170,000
11	Magdeburg-Rothensee	2005/2006	4	660,000
12	Neunkirchen	1970	2	160,000
13	Pirmasens	1999	2	180,000
14	Premnitz	2008/2021	2	300,000
15	Schwedt	2011	1	330,000
16	Stapelfeld	1979	2	350,000
17	Stavenhagen	2007	1	150,000
			31	5,129,000
	* 3 year average			





We shrink the carbon footprint. A benefit for the environment.

Generating energy from waste actively contributes to environmental protection. As waste contains 50 per cent biogenic substances on average, it is recognised that energy from waste plants produce energy from renewable sources pursuant to the Germany's Renewable Energy Sources Act (EEG). By utilising waste as a resource to generate energy, the use of primary energy sources such as coal, natural gas and oil can be avoided. At the same time, the energy recovery of the fuels used in EEW's plants leads to a smaller carbon footprint.

EEW's technologically sophisticated plants provide safe and environmentally friendly waste treatment. In the combustion process, the pollutants contained in the waste are either destroyed or removed from the materials cycle. Filtered-out raw materials and residues, such as bottom ash for road construction, are recovered and brought back into the materials loop. This value-adding process reduces the waste volume in total by approximately 90 per cent. Another area where we take the lead: Emissions from EEW plants are substantially below the strict statutory limits. In most cases, the air that leaves our plants is considerably less contaminated than city air.

We place a high value on transparency. Why not come and see for yourself?

You are cordially invited to visit the EEW site of your choice. Contact us to set up a tour of the plant with expert employees who will be pleased to explain to you the plant technology, environmentally friendly waste recovery and energy generation. We look forward to hearing from you!

Our plants

Andernach



IHKW Industrieheizkraftwerk Andernach GmbH

Koblenzer Straße 141 56626 Andernach Germany T +49 2632 49859-0 F +49 2632 49859-299 andernach@eew-energyfromwaste.com

Technical data

Commissioning	2008/2009
Capacity	140,000 tonnes RDF/year
Number of combustion lines	1
Waste bunker capacity	6,260 cubic metres ≈ 2,191 tonnes
Calorific range of waste	11 - 15 megajoules/kilograms
Electricity generation	78,000 megawatt hours/year ≈ 24,000 households
Process steam generation	267,000 megawatt hours/year

Delfzijl (Netherlands)



EEW Energy from Waste Delfzijl B.V.

Oosterhorn 38
9936 HD Farmsum
Netherlands
T +31 596 674-000
F +31 596 674-394
delfzijl@eew-energyfromwaste.com

Commissioning	2010/2019
Capacity	576,000 tonnes/year
Number of combustion lines	3
Waste bunker capacity	15,000 cubic metres ≈ 13,500 tonnes
Calorific range of waste	8 - 16 megajoules/kilograms
Electricity generation	156,000 megawatt hours/year ≈ 49,000 households
Process steam generation	949,000 megawatt hours/year
District heating generation	11,000 megawatt hours/year

Eschbach (Breisgau)



EEW Energy from Waste Saarbrücken GmbH - TREA Breisgau

Heitersheimer Straße 2

79427 Eschbach Germany T +49 7634 5079-0 F +49 7634 5079-135 breisgau@eew-energyfromwaste.com

Technical data

Commissioning	2005
Capacity	175,000 tonnes/year
Number of combustion lines	1
Waste bunker capacity	10,000 cubic metres ≈ 5,000 tonnes
Calorific range of waste	7 - 16 megajoules/kilograms
Electricity generation	117,000 megawatt hours/year ≈ 37,000 households
District heating generation	12,000 megawatt hours/year

Göppingen



EEW Energy from Waste Göppingen GmbH

Iltishofweg 40
73037 Göppingen
Germany
T +49 7161 6716-121
F +49 7161 6716-210
goeppingen@eew-energyfromwaste.com

Commissioning	1975
Commissioning replacement line	1998
Capacity	168,000 tonnes/year - 3 year average
Number of combustion lines	1
Waste bunker capacity	6,400 cubic metres ≈ 3,200 tonnes
Calorific range of waste	9 - 11 megajoules/kilograms
Electricity generation	88,000 megawatt hours/year ≈ 27,000 households
District heating generation	76,000 megawatt hours/year

Großräschen



EEW Energy from Waste Großräschen GmbH

Bergmannstraße 29 01983 Großräschen Germany T +49 35753 377-50 F +49 35753 377-52 grossraeschen@eew-energyfromwaste.com

Technical data

Commissioning	2008
Capacity	292,500 tonnes/year
Number of combustion lines	1
Waste bunker capacity	12,000 cubic metres ≈ 6,000 tonnes
Calorific range of waste	11 - 18 megajoules/kilograms
Electricity generation	150,000 megawatt hours/year ≈ 47,000 households
District heating generation	3,000 megawatt hours/year

Hannover



EEW Energy from Waste Hannover GmbH

Moorwaldweg 310 30659 Hannover Germany T +49 511 336397-0 F +49 511 336397-90 hannover@eew-energyfromwaste.com

Commissioning	2005
Capacity	280,000 tonnes/year
Number of combustion lines	2
Waste bunker capacity	10,000 cubic metres ≈ 5,000 tonnes
Calorific range of waste	8 - 17 megajoules/kilograms
Electricity generation	170,000 megawatt hours/year ≈ 53,000 households
District heating generation	116,000 megawatt hours/year

Helmstedt



EEW Energy from Waste Helmstedt GmbH

Am Kraftwerk 2 38372 Büddenstedt Germany T +49 5351 18-2335 F +49 5351 18-2379 helmstedt@eew-energyfromwaste.com

Technical data

Commissioning	1998
Enlargement	2005
Capacity	525,000 tonnes/year
Number of combustion lines	3
Waste bunker capacity	20,000 cubic metres ≈ 10,000 tonnes
Calorific range of waste	7 - 12 megajoules/kilograms
Electricity generation	278,000 megawatt hours/year ≈ 87,000 households

Heringen



EEW Energy from Waste Heringen GmbH

In der Aue 3
36266 Heringen (Werra)
Germany
T +49 6624 54210-13
F +49 6624 54210-20
heringen@eew-energyfromwaste.com

2009
310,000 tonnes/year
2
15,000 cubic metres ≈ 7,500 tonnes
8 - 18 megajoules/kilograms
6,000 megawatt hours/year ≈ 2,000 households
902,000 megawatt hours/year

Knapsack (Hürth)



EEW Energy from Waste Saarbrücken GmbH - EBKW Knapsack

Industriestraße 300 50354 Hürth Germany T +49 2233 92844-114 F +49 2233 92844-111 knapsack@eew-energyfromwaste.com

Technical data

Commissioning	2009
Capacity	320,000 tonnes/year
Number of combustion lines	2
Waste bunker capacity	17,000 cubic metres ≈ 10,000 tonnes
Calorific range of waste	11 - 17 megajoules/kilograms
Electricity generation	118,000 megawatt hours/year ≈ 37,000 households
Process steam generation	347,000 megawatt hours/year

Leudelange (Luxembourg)



EEW Energy from Waste Leudelange S.à r.l.

100, route de Bettembourg 3346 Leudelange Luxembourg T +352 37 8541-1 F +352 37 8689 leudelange@eew-energyfromwaste.com

Commissioning	2010
Capacity	170,000 tonnes/year
Number of combustion lines	1
Waste bunker capacity	13,000 cubic metres ≈ 7,500 tonnes
Calorific range of waste	8 - 14 megajoules/kilograms
Electricity generation	110,000 megawatt hours/year ≈ 34,000 households
District heating generation	29,000 megawatt hours/year

Magdeburg-Rothensee



MHKW Rothensee GmbH

Kraftwerk-Privatweg 7 39126 Magdeburg Germany T +49 391 587-2534 F +49 391 587-1764 info@mhkw-rothensee.de

Technical data

Commissioning	2005/2006
Capacity	660,000 tonnes/year
Number of combustion lines	4
Waste bunker capacity	24,000 cubic metres ≈ 12,000 tonnes
Calorific range of waste	7.5 - 15 megajoules/kilograms
Electricity generation	358,000 megawatt hours/year ≈ 112,000 households
District heating generation	385,000 megawatt hours/year

Neunkirchen



EEW Energy from Waste Saarbrücken GmbH - AHKW Neunkirchen

Am Blücherflöz 12
66538 Neunkirchen
Germany
T +49 6821 8698-0
F +49 6821 8698-119
neunkirchen@eew-energyfromwaste.com

Commissioning	1969
Renewal	1996 - 2001
Optimization	2010 - 2011
Capacity	160,000 tonnes/year
Number of combustion lines	2
Waste bunker capacity	4,000 cubic metres ≈ 2,500 tonnes
Calorific range of waste	7.5 - 12.5 megajoules/kilograms
Electricity generation	64,000 megawatt hours/year ≈ 20,000 households
District heating generation	26,000 megawatt hours/year

Pirmasens



EEW Energy from Waste Saarbrücken GmbH - MHKW Pirmasens

Staffelberg 2 - 4
66954 Pirmasens
Germany
T +49 6331 5536-0
F +49 6331 5536-60
pirmasens@eew-energyfromwaste.com

Technical data

Commissioning	1999
Capacity	180,000 tonnes/year
Number of combustion lines	2
Waste bunker capacity	5,300 cubic metres ≈ 3,000 tonnes
Calorific range of waste	7 - 15 megajoules/kilograms
Electricity generation	67,000 megawatt hours/year ≈ 21,000 households
District heating generation	37,000 megawatt hours/year

Premnitz



EEW Energy from Waste Premnitz GmbH

Dr.-Herbert-Rein-Straße 1 14727 Premnitz Germany T +49 3386 21387-3370 F +49 3386 21387-3352 premnitz@eew-energyfromwaste.com

Commissioning	2008/2021
Capacity	300,000 tonnes/year
Number of combustion lines	2
Waste bunker capacity	18,000 cubic metres ≈ 9,000 tonnes
Calorific range of waste	8.5 - 16 megajoules/kilograms
Electricity generation	136,000 megawatt hours/year ≈ 43,000 households
District heating generation	139,000 megawatt hours/year
Process steam generation	100,000 megawatt hours/year
	·

Schwedt



Kraftwerk Schwedt GmbH & Co. KG

Kuhheide 34 16303 Schwedt Germany T +49 3332 5814-120 F +49 3332 5814-250 schwedt@eew-energyfromwaste.com

Technical data

Commissioning	2011
Capacity	330,000 tonnes/year
Number of combustion lines	1
Waste bunker capacity	17,000 cubic metres ≈ 5,000 tonnes
Calorific range of waste	8 - 25 megajoules/kilograms
Electricity generation	159,000 megawatt hours/year ≈ 50,000 households
Process steam generation	667,000 megawatt hours/year

Stapelfeld



EEW Energy from Waste Stapelfeld GmbH

Ahrensburger Weg 4
22145 Stapelfeld
Germany
T +49 40 67576-0
F +49 40 67576-549
stapelfeld@eew-energyfromwaste.com

Commissioning	1979
Capacity	350,000 tonnes/year
Number of combustion lines	2
Waste bunker capacity	12,000 cubic metres ≈ 6,000 tonnes
Calorific range of waste	7.5 - 12.5 megajoules/kilograms
Electricity generation	119,000 megawatt hours/year ≈ 37,000 households
District heating generation	228,000 megawatt hours/year

Stavenhagen



EEW Energy from Waste Stavenhagen GmbH & Co. KG Schultetusstraße 43 b

17153 Stavenhagen Germany T +49 39954 2462-0 F +49 39954 2462-16 stavenhagen@eew-energyfromwaste.com

Commissioning	2007
Capacity	150,000 tonnes/year
Number of combustion lines	1
Waste bunker capacity	5,000 cubic metres ≈ 2,500 tonnes
Calorific range of waste	11 - 18 megajoules/kilograms
Electricity generation	60,000 megawatt hours/year ≈ 19,000 households
Process steam generation	123,000 megawatt hours/year

EEW Energy from Waste GmbH

Schöninger Straße 2 - 3 38350 Helmstedt Germany T +49 5351 18-0 F +49 5351 18-2522 info@eew-energyfromwaste.com

EEW Energy from Waste GmbH

Berliner Freiheit 2 10785 Berlin Germany T +49 30 660068-0 F +49 30 660068-100 berlin@eew-energyfromwaste.com

EEW Energy from Waste Polska Sp. z o.o.

ul. Polna 11 00-633 Warszawa Poland polska@eew-energyfromwaste.com

EEW Energy from Waste Saarbrücken GmbH

Am Blücherflöz 12 66538 Neunkirchen Germany T +49 6821 8698-0 F +49 6821 8698-119 neunkirchen@eew-energyfromwaste.com

Taking the lead with excellent services.

Measurable quality is also reflected in certifications. They underline the excellent collaboration and the outstanding performance of our plants and our company headquarters.

- Certified quality management system (ISO 9001)
- Certified occupational safety management system (ISO 45001)
- Certified environmental management system (ISO 14001)
- Certified energy management system (ISO 50001)
- Our plants are also certified waste management facilities pursuant to the Waste Management Facility Regulation (EfbV)




EEW Energy from Waste GmbH Schöninger Straße 2 - 3 38350 Helmstedt Germany

T +49 5351 18-0 F +49 5351 18-2522

info@eew-energyfromwaste.com www.eew-energyfromwaste.com

2024-03-06





www.eew-energy from waste.com